


Srinubala T.O

NATIONAL SYMPOSIUM ON Polymers & Coatings



September 7-8, 2012

at

CSIR-Indian Institute of Chemical Technology (IICT)
Hyderabad, India



Organised by



OIL TECHNOLOGISTS' ASSOCIATION OF INDIA
(Southern Zone)
Hyderabad - 500 007, India

&



CSIR-Indian Institute of Chemical Technology (IICT)
Uppal Road, Tarnaka, HYDERABAD - 500 007, INDIA



Supporting Organisations



Indian Small Scale Paint Association (ISSPA)
Indian Resins Manufacturers Association (IRMA)



NSPC-2012

**NATIONAL SYMPOSIUM
on
POLYMERS & COATINGS**

7– 8, SEPTEMBER 2012

at

CSIR–Indian Institute of Chemical Technology
Hyderabad - 500 007, India.

Organised by



**Oil Technologists' Association of India
(Southern Zone)**

Hyderabad - 500 007, India

&



CSIR–Indian Institute of Chemical Technology
Uppal Road, Tarnaka, Hyderabad - 500 007, India



Supporting Organisations



Indian Small Scale Paint Association (ISSPA)
Indian Resins Manufacturers Association (IRMA)



POSTER ABSTRACTS

| Poster No. | TITLE | Page No. |
|------------|---|----------|
| 1 | IN SITU SYNTHESIS OF HYPERBRANCHED POLYMER COMPOSITES CONTAINING SILVER NANOPARTICLES AND ITS ANTIMICROBIAL ACTIVITY <i>R. Balaji Naik, N. G. Malvankar, T. K. Mahato, D. Ratna, S. K. Singh</i> | 27 |
| 2 | POLYMERIC COATINGS FROM RENEWABLE SOURCE: VEGETABLE OILS <i>V. V. Gite</i> | 28 |
| 3 | THERMAL STABILITY AND ANTIBACTERIAL ACTIVITY OF A NEWLY PREPARED ORGANIC COATING FROM A DE-SATURATED SEED OIL OF THEVETIA PERUVIANA <i>T. O. Siyanbola, K. Sasidhar, B. Anjaneyulu, B. V. S. K. Rao, R. Narayan, O. Olaofe, E. T. Akintayo, K. V. S. N. Raju</i> | 29 |
| 4 | SYNTHESIS AND CHARACTERIZATION OF NOVEL POLYUREA MICROCAPSULES USING PAMAM DENDRIMERS AND ITS USE IN SELF-HEALING POLYURETHANE COATINGS <i>Pyus. D Tatiya, Vikas V. Gite</i> | 30 |
| 5 | PREPARATION OF POLYURETHANE COATINGS USING POLYOL OBTAINED FROM RENEWABLE SOURCES I. E., SORBITOL AND FATTY ACID <i>S. D. Rajput, V. V. Gite</i> | 31 |
| 6 | SYNTHESIS AND CHARACTERIZATION OF POLY(LACTIC ACID) (PLA) BY USING SOLID ACID CATALYST SYSTEM IN POLYCONDENSATION METHOD <i>Bhushan Choubisa, Mayank Patel, Bharatkumar Dholakiya</i> | 32 |
| 7 | ENAMEL PAINTS FROM NOVEL ROSINATED MALEINIZED SOYBEAN OIL <i>Prashant B. Shingwekar</i> | 33 |
| 8 | SENSITIVITY STUDY OF CARBON NANO POWDER DOPED PVA-G-AN POLYMER TOWARDS AROMATIC NITRO COMPOUND <i>Niloy Paul, Bedanta Gogoi, Devasish Choudhury, Neelotpal Sen Sarma</i> | 34 |
| 9 | BIO-BASED HYPERBRANCHED POLYURETHANE /FE3O4 NANOCOMPOSITES AS SHAPE MEMORY MATERIALS <i>Hemjyoti Kalita, Niranjana Karak</i> | 35 |
| 10 | PANI-HEDP AS A NEW, EFFECTIVE AND REUSABLE CATALYST FOR SYNTHESIS OF N-BENZYLIDINE-2-PHENYL IMIDAZO[1,2-A] PYRIDINES <i>Bolagam Ravi, Boddula Rajender, S. Palaniappan</i> | 36 |
| 11 | DEVELOPMENT OF NOVEL POLYOLS AND THEIR POLYURETHANE UREA COATINGS USING CLICK CHEMISTRY <i>Sasidhar kantheti, Sarath P.S., Ramanuj Narayan, K. V. S. N. Raju</i> | 37 |
| 12 | EFFECT OF OPTICAL BRIGHTENERS ON ULTRA PROTECTIVE FACTOR (UPF) OF SILK FABRIC <i>Shivi Rastogi, Ekta Sharma</i> | 38 |
| 13 | POLY(VINYL ALCOHOL)/H-ZSM5 BASED MIXED MATRIX COMPOSITE MEMBRANES FOR THE PERVAPORATION DEHYDRATION OF ALCOHOLS: EFFECT OF SILICA ALUMINA RATIO (SAR) <i>D. P. Suhasa, T. M. Aminabhavib, A. V. Raghua</i> | 39 |
| 14 | POLYURETHANE-OLIGOANILINE CONDUCTING COMPOSITES: SYNTHESIS AND APPLICATIONS <i>A. Ravi, T. Praveen Kumar, Chepuri R. K. Rao, Ramanuj Narayan, K. V. S. N. Raju</i> | 40 |

| | | |
|----|--|----|
| 15 | DEVELOPMENT OF FUNCTIONAL POLY(URETHANE-UREA) COATINGS BASED ON NOVEL HYPERBRANCHED POLYESTER WITH NITROGEN CORE | 41 |
| | <i>Rajnish Kumar, Shaik Allaudin, Dipankar Sukul, Ramanuj Narayan, K. V. S. N. Raju</i> | |
| 16 | THERMOMECHANICAL PROPERTIES OF POLYESTER MELAMINE HIGH SOLIDS COATINGS | 42 |
| | <i>K. R. Radhika, Shaik Allaudin, Ramanuj Narayan, P. K. Sai Prakash, K. V. S. N. Raju</i> | |
| 17 | PREPARATION OF FLEXIBLE EPOXY/CLAY NANOCOMPOSITES: EFFECT OF PREPARATION METHOD, CLAY MODIFIER AND MATRIX DUCTILITY | 43 |
| | <i>S. B. Jagtap, V. Srinivasa Rao, D. Ratna, K. Kiran Kumar, K. Sirisha Devi</i> | |
| 18 | PENDANT CARBOXYLIC ACID CONTAINING ABA TYPE TRI-BLOCK COPOLYMERS FROM TELECHELIC POLYSTYRENE: SYNTHESIS, CHARACTERIZATION AND THEIR LIQUID CRYSTALLINE ASSISTED SELF-ASSEMBLY APPLICATIONS | 44 |
| | <i>T. Rajasekhar, M. Trinadh, V. Santhosh, A. V. Sesha Sainath</i> | |
| 19 | GLYCOPOLYMERS SYNTHESIS, CHARACTERIZATION AND THEIR SELF-ASSEMBLIES FOR LECTIN RECOGNITION | 45 |
| | <i>M. Trinadh, T. Rajasekhar, J. Gopinath, A. V. Sesha Sainath</i> | |
| 20 | SYNTHESIS AND OPTICAL PROPERTIES OF LA DOPED BIFEO ₃ THIN FILMS FOR WINDOW COATING APPLICATIONS | 46 |
| | <i>Vineetha James, P. Prabhakar Rao, S. Sameera, S. Divya</i> | |
| 21 | POLYMERIC SELF-ASSEMBLED MATERIAL OF N-DIACETYLENIC KANAMYCIN A | 47 |
| | <i>Kamlakar Nandre, Sharad Bobe, Ganesh Shitre, Namdev Ghule, Sidhanath Bhosale</i> | |
| 22 | PREPARATION AND CHARACTERIZATION OF BIOLOGICALLY ACTIVE CURCUMIN ENCAPSULATED PLGA MICROSPHERES FOR DRUG RELEASE OF CURCUMIN TO CANCER TREATMENT | 48 |
| | <i>T. Jayaramudu, G. M. Raghavendra, K. Varaprasad, Rotimi Sadiku, K. Mohana Raju</i> | |
| 23 | POLYURETHANE UREA COATINGS USING SULPHUR RICH HYPERBRANCHED POLYOLS | 49 |
| | <i>I. Nagaraj Goud, Ramanuj Narayan, K. V. S. N. Raju</i> | |
| 24 | SYNTHESIS OF BIODGRABABLE LEVOFLOXACIN BASED GAUR GUM FILMS AS EFFECTIVE ANTI-BACTERICIDES | 50 |
| | <i>G. M. Raghavendra, T. Jayaramudu, K. Varaprasad, Rotimi Sadiku, K. Mohana Raju</i> | |
| 25 | STUDY ON THE SYNTHESIS, AND CHARACTERIZATION OF POLY (GELATIN-SODIUM ALGINATE-ACRYLAMIDE) MAGNETITE NANOCOMPOSITE HYDROGELS: FOR BIOMEDICAL APPLICATIONS | 51 |
| | <i>B. Manjula, N. Narayana Reddy, K. Varaprasad, S. Ravindra, K. Mohana Raju</i> | |
| 26 | DEVELOPMENT OF WATERBORNE POLY URETHANE - ACRYLIC HYBRID DISPERSIONS BASED ON RENEWABLE POLYOL | 52 |
| | <i>M. G. Harikrishnan, M. Venkateshwara Reddy, K. I. Suresh</i> | |
| 27 | SYNTHESIS OF GRAPHENE OXIDE POLYANILINE HYBRID COMPOSITE BY INTERFACIAL POLYMERIZATION METHOD FOR SUPERCAPACITOR APPLICATION | 53 |
| | <i>Male Umashankara, Srinivasan Palaniappan, S. Gopukumar</i> | |
| 28 | DEVELOPMENT OF IPN HYDROGELS BASED ON PECTIN AND THEIR TOXIC METAL EXTRACTION STUDIES | 54 |
| | <i>N. Sivagangi Reddy, K. Madhusudana Rao, K. S. V. Krishna Rao, Jayasree RamKumar, A. V. R. Reddy</i> | |
| 29 | DEVELOPMENT OF THERMO/PH SENSITIVE PVA BASED HYDROGELS FOR CONTROLLED RELEASE OF 5-FLUOROURACIL | 55 |
| | <i>S.Siva Prasad, P.Rama Subba Reddy, K.Madhusudana Rao, S.Eswaramma, K.S.V.Krishna Rao</i> | |

| | | |
|----|---|----|
| 45 | RHEOLOGICAL AND THERMAL CHARACTERISTICS OF EPOXY RESINS BASED ON JATROPHA OIL | 71 |
| | A. Sammaiah, K.I. Suresh, K. V. Padmaja, R.B.N. Prasad | |
| 46 | PREPARATION AND CHARACTERIZATION OF 3A ZEOLITE FILLED SODIUM ALGINATE COMPOSITE MEMBRANE FOR PV DEHYDRATION OF ETHANOL AT DIFFERENT TEMPERATURES | 72 |
| | S.H. Rajendra Prasad, P. Upender Rao, G. Nagarjuna, P. Kumara Babu, K. Chowdoji Rao | |
| 47 | PREPARATION AND CHARACTERIZATION OF ZSM-5 ZEOLITE FILLED SODIUM ALGINATE COMPOSITE MEMBRANE FOR PV DEHYDRATION OF ETHANOL AT DIFFERENT TEMPERATURES | 73 |
| | S.H. Rajendra Prasad, M.N. Prabhakar, K. Sudhakar, M. Prasad, K. Chowdoji Rao | |
| 48 | POWDER COATINGS BASED ON REACTIVE KETONIC RESIN | 74 |
| | P.G.Shende, Vishal Nasare and Chetan Chavan | |
| 49 | "MICROENCAPSULATION OF NEEM OIL USING STYRENE AND BUTYL ACRYLATE FOR CONTROL RELEASE" | 75 |
| | Rupali Nehete, P.A.Mahanwar, M.R.Sawant | |
| 50 | A REVIEW ON THE DEVELOPMENT OF POLYMER ELECTROLYTE MEMBRANE FUEL CELL USING NANOTUBE AND NANOWIRE WITH TITANIA | 76 |
| | T. Viswanathan | |
| 51 | COMPOSITE MATERIALS | 77 |
| | Abson Varghese | |
| 52 | ECOFRIENDLY BIODEGRADABLE POLYMERS | 78 |
| | Anu Sekhar S | |
| 53 | BIOMEDICAL APPLICATIONS OF SYNTHETIC POLYMERS | 79 |
| | Eldhose John | |
| 54 | PLASTICS IN PACKAGING | 80 |
| | Kiran S. Kumar | |
| 55 | POLYMERS IN AUTOMOBILES | 81 |
| | Sarath Prakash | |
| 56 | POLYMER RECYCLING | 82 |
| | Govindanunny M | |
| 57 | POLYMER NANOCOMPOSITES | 83 |
| | Subash Surendran | |
| 58 | HIGH PERFORMANCE PROTECTIVE COATING | 84 |
| | Swapnil Y. Zanzad, Chinmay A. Chaudhari, Makrand A. Belsare | |
| 59 | POLYMERIC MEMBRANES | 86 |
| | C. V. Subrahmanyam, M. Venkateswara Rao | |
| | AWARDEES | 87 |
| | POLYMERS AND FUNCTIONAL MATERIALS DIVISON AT CSIR-IICT | 89 |
| | ADVERTISEMENTS | 95 |

Thermal Stability and Antibacterial Activity of a Newly Prepared Organic Coating from a De-saturated Seed Oil of *Thevetia Peruviana*

T. O. Siyanbola^{1,2}, K. Sasidhar¹, B. Anjaneyulu³, B. V. S. K. Rao³, R. Narayan¹,
O. Olaofe⁴, E. T. Akintayo⁴, K. V. S. N. Raju^{1*}

¹Polymers and Functional Materials Division, Indian Institute of Chemical Technology,
Hyderabad- 500007, India.

²Chemistry Department, College of Science and Technology, Covenant University,
P.M.B. 1023, Ota, Ogun state, Nigeria.

³Centre for Lipid Research, Indian Institute of Chemical Technology, Hyderabad-500007, India.

⁴Chemistry Department, University of Ado-Ekiti, P.M.B. 5363, Ado-Ekiti, Nigeria.
E-mail: drkvsnrju@gmail.com

Air drying polyesteramide-urethanes resins were synthesized from de-saturated fatty methyl ester (FAME) of *Thevetia peruviana* seed oil commonly known as Yellow oleanda (a tropical ornamental shrub) having about 68.8% unsaturated and 30.9% saturated fatty acids. Urea fractionation method was used to optimize the percentage of functional groups (in this case double bonds) by physio-sorption of the saturated fatty acids. The physico-chemical characterization of the optimized unsaturated FAME such as hydroxyl value, iodine value, saponification value, refractive index, inherent viscosity were carried out using standard methods. Through condensation reaction the *N,N*- bis(2-hydroxyethyl) *Thevetia peruviana* (HETA) prepared from the FAME react with isophthalic acid to form polyesteramide. The latter undergo urethanation with H^{1,2} MDI. The structural elucidation of the moisture cured polyesteramide-urethane urethane coating was based on FTIR, ¹H-NMR and ¹³C-NMR spectroscopic methods. The coatings films were evaluated for its antibacterial activity and thermal stability properties on TGA and DSC. SEM of the coating films was also examined.

